

Studies examining children's exposure and health effects (cancer, general health effects, cognitive functions)

1. Cancer

Maskarinec (1994) – AM radio transmitters and leukemia

Hocking (1996) – TV towers and brain cancer and leukemia

Dolk (1997a) – Radio and TV transmitters and brain cancer and leukemia

Dolk (1997b) – High power Radio and TV transmitters and brain cancer and leukemia

McKenzie (1998) – TV towers and brain cancer and leukemia

Cooper (2001) - Radio and TV transmitters and brain cancer and leukemia

Michelozzi (2002) – Radio transmitter and risk of leukemia

Park (2004) – AM radio transmitters brain cancer and leukemia

Ha (2007) - Radio transmitters brain cancer and leukemia

Merzenich (2008) – Radio and TV transmitters and risk of leukemia

2. General health effects

Koivusilta (2007) – Mobile phone and health

Van den Buick (2007) – Mobile phone use and tiredness

Divan (2008) – Mobile phone exposure and behavioral problems in young children

Soderqvist (2008) – Mobile phone exposure and self-reported health complaints

Henrich (2008) – Mobile phone exposure and self-reported health complaints

Kuhnlein (2009) - Mobile phone exposure and self-reported health complaints

Bell (2009) – Mobile phone use in hospital and mental benefits in young people

3. Cognitive

Lee (2001) - Mobile phones and attention

Haarala (2005) - Mobile phones and memory, reaction time and vigilance

Preece (2005) - Mobile phones and memory, reaction time and vigilance

Krause (2006) – Mobile phones and event-related potentials (ERP) EEG

Abramson (2009) – Mobile phones and cognitive function in adolescents

References:

Abramson MJ, Benke GP, Dimitriadis C, Inyang IO, Sim MR, Wolfe RS, Croft RJ. Mobile telephone use is associated with changes in cognitive function in young adolescents. *Bioelectromagnetics*. Jul 30, 2009 Ahead of print.

Bell J, Finlay F, Baverstock A. (2009). Mobile phone use on a young person's unit. *Paediatr Nurs*. 21(7): 14-18.

Brettingham M. (2005). Parents should restrict children's use of mobile phones, report says. *BMJ* 330:109.

Cooper, D, Hemmings, K, Saunders, P, Cherry, N, & Dolk, H. (2001) Re: "Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; ii. All high power transmitters". *Am. J. Epidemiol.*, 153(2), 202-205.

Divan, H A, Kheifets, L, Obel, C, & Olsen, J. (2008) Prenatal and postnatal exposure to cell phone use and behavioral problems in children. *Epidemiology*, 19(4), 523-529.

Dolk, H, Elliott, P, Shaddick, G, Walls, P, Thakrar, B. (1997) Cancer incidence near radio and television transmitters in Great Britain .2. All high power transmitters. *American Journal of Epidemiology*, 145(1), 10-17.

Dolk, H, Shaddick, G, Walls, P, Grundy, C, Thakrar, B, Kleinschmidt, I. (1997) Cancer incidence near radio and television transmitters in Great Britain .1. Sutton Coldfield transmitter. *American Journal of Epidemiology*, 145(1), 1-9.

Ha JH, Chin B, Park DO, Ryu SH, Yu J. (2008). Characteristics of excessive cellular phone use in Korean adolescents. *CyberPsychology & Behavior* 11(6):1-2.

Ha, M, Im, H, Lee, M, Kim, H J, Kim, B-C, Gimm, Y-M. (2007) Radio-Frequency Radiation Exposure from AM Radio Transmitters and Childhood Leukemia and Brain Cancer. *Am. J. Epidemiol.*, 166(3), 270-279.

Haarala, C, Bergman, M, Laine, M, Revonsuo, A, Koivisto, M, & Hamalainen, H. (2005) Electromagnetic field emitted by 902 MHz mobile phones shows no effects on children's cognitive function. *Bioelectromagnetics*, Suppl 7, S144-150.

Hocking, B, Gordon, I R, Grain, H L, & Hatfield, G E. (1996) Cancer incidence and mortality and proximity to TV towers. *Med J Aust*, 165(11-12), 601-605.

Kheifetz L, Repacholi M, Saunders R, van Deventer E. (2005) The sensitivity of children to electromagnetic fields. *Pediatrics* 116(2):e303-313.

Kim BM, Ha M, Park HS, Lee BE, Kim YJ, Hong YC, Kim Y, Chang N, Roh YM, Kim BN, Oh SY, Ha EH, MOCEH Study Group. (2009) The Mothers and Children's Environmental Health (MOCEH) study. *Eur J Epidemiol*. 24(9):573-83.

Koivusilta, L K, Lintonen, T P, & Rimpela, A H. (2007) Orientations in adolescents use of information and communication technology: A digital divide by sociodemographic background, educational career, and health. *Scand J Public Health*, 35, 95-103.

Krause, C M , Bjornberg, C H , Pesonen, M , Hulten, A , Liesivuori, T , Koivisto, M. (2006) Mobile phone effects on children's event-related oscillatory EEG during an auditory memory task. *International Journal of Radiation Biology*, 82(6), 443-450.

Kühnlein A, Heumann C, Thomas S, Heinrich S, Radon K. Personal exposure to mobile communication networks and well-being in children – A statistical analysis based on a functional approach. *Bioelectromagnetics* Jan 29, 2009 Ahead of print.

Kwon MS, Huottilainen M, Shestakova A, Kujala T, Näätänen R, Hämäläinen H. No effects of mobile phone use on cortical auditory change-detection in children: An ERP study. *Bioelectromagnetics*. Sep 21, 2009 Ahead of print.

Lee, TMC, Ho, SMY, Tsang, LYH, Yang, SYC, Li, LSW, Chan, CCH. (2001) Effect on human attention of exposure to the electromagnetic field emitted by mobile phones. *Neuroreport*, 12(4), 729-731.

Leitbeg N. (2008) Mobile phones: are children at higher risk? *Wien Med Wochenschr*. 158(1-2):36-41.

Martens L. (2005) Electromagnetic safety of children using wireless phones: a literature review. *Bioelectromagnetics* 7:S133-S137.

Maskarinec, G, Cooper, J, Swygert, L. (1994) Investigation of increased incidence in childhood leukemia near radio towers in Hawaii: preliminary observations. *J Environ Pathol Toxicol Oncol*, 13(1), 33-37.

McKenzie, D R, Yin, Y, Morrell, S. (1998) Childhood incidence of acute lymphoblastic leukaemia and exposure to broadcast radiation in Sydney--a second look. *Aust N Z J Public Health*, 22(3 Suppl), 360-367.

Mead MN. (2008) Strong signal for cell phone effects. *Env Health Pers*. 116(10):A422.

Merzenich, H, Schmiedel, S, Bennack, S, Bruggemeyer, H, Philipp, J, Blettner, M. (2008) Childhood Leukemia in Relation to Radio Frequency Electromagnetic Fields in the Vicinity of TV and Radio Broadcast Transmitters. *Am. J. Epidemiol.*, 168(10), 1169-1178.

Michelozzi, P, Capon, A, Kirchmayer, U, Forastiere, F, Biggeri, A, Barca, A. (2002) Adult and Childhood Leukemia near a High-Power Radio Station in Rome, Italy. *Am. J. Epidemiol.*, 155(12),1096-1103.

Otto M, von Muhlendahl KE. (2007) Electromagnetic fields (EMF): Do they play a role in children's environmental health(CEH)? *Int J Hyg Environ Health* 210:635-644.

Park, S K, Ha, M, Im, H J. (2004) Ecological study on residences in the vicinity of AM radio broadcasting towers and cancer death: preliminary observations in Korea. *International Archives of Occupational and Environmental Health*, 77(6), 387-394.

Preece, AW, Goodfellow, S, Wright, M G , Butler, S R , Dunn, E J , Johnson, Y. (2005) Effect of 902 MHz mobile phone transmission on cognitive function in children. *Bioelectromagnetics*, Suppl 7, S138- 143.

Schmiedel S, Bruggemeyer H, Phillip J, Wendler J, Merzenich, Schuz J. (2009). An evaluation of exposure metrics in an epidemiologic study on radio and television broadcast transmitters and the risk of childhood leukemia. *Bioelectromagnetics*. 30:81-91.

Schüz, J, Ahlbom, A. (2008) Exposure to electromagnetic fields and the risk of childhood leukaemia: a review. *Radiat Prot Dosimetry*, 132(2), 202-211.

Söderqvist, F, Carlberg, M, & Hardell, L. (2008) Use of wireless telephones and self-reported health symptoms: a population-based study among Swedish adolescents aged 15-19 years. *Environmental Health*, 7(1), 18.

Thomas S, Heinrich S, Kühnlein A, Radon K. The association between socioeconomic status and exposure to mobile telecommunication networks in children and adolescents. *Bioelectromagnetics*. Jul 13, 2009 Ahead of print.

Thomas S, Heinrich S, von Kries R, Radon K. Exposure to radio-frequency electromagnetic fields and behavioural problems in Bavarian children and adolescents. *Eur J Epidemiol*. Dec 4, 2009 Ahead of print.

Thomas S, Kuhnlein A, Heinrich S, Praml G, von Kries R, Radon K. Exposure to mobile telecommunication networks assessed using personal dosimetry and well-being in children and adolescents: the German MobilEe-study. *Environ Health* 7(1):54 Ahead of print November 4, 2008.

Van den Bulck, J. (2007) Adolescent use of mobile phones for calling and for sending text messages after lights out: results from a prospective cohort study with a one-year follow-up. *Sleep*, 30(9), 1220-1223.

van Rongen E, Roubos EW, van Aernsbergen LM, Brussaard G, Havenaar J, Koops FBJ, van Leeuwen FE, Leonhard HK, van Rhoon GC, Swaen GMH, van de Weerd RHJ, Zwamborn APM. (2004) Mobile phones and children: Is precaution warranted?