

## **Studies examining prenatal and postnatal exposure**

Kaplan (1982) – EEG and behavioral endpoints

Klug (1997) – embryonic development

Jensh (1997) – prenatal and postnatal exposures on reproductive risk

Magras (1997) – prenatal development of mice

Bornhaussen (2000) – prenatal exposure on behavioral performance

Cobb (2000) – prenatal and postnatal exposures and physiological and behavioral endpoints

Salford (2003) – young rats blood-brain permeability

Kuribayashi (2005) - young rats blood-brain permeability

Cosquer (2005) - young rats blood-brain permeability

Juutilainen (2005) – postnatal behavioral effects

Paulraj (2006) – young rats Protein Kinase C activity developing rat brain

Finnie (2006a) – utero exposure blood-brain barrier permeability

Finnie (2006b) – postnatal exposure blood-brain permeability

Kumlin (2007) – postnatal young rats developing central nervous system (brain tissue and performance)

Eberhardt (2008) – postnatal blood-brain permeability

Nittby (2009) – blood-brain permeability

Masuda (2009) - blood-brain permeability

McQuade (2009) - blood-brain permeability

Sommer (2009) – reproduction and development of mice (multi-generation study)

Divan (2009) – prenatal and postnatal exposures behavioral problems

## **References:**

Bornhausen M, Scheingraber H. (2000) Prenatal exposure to 900 MHz, cell-phone electromagnetic fields had no effect on operant-behavior performances of adult rats. *Bioelectromagnetics* 21:566-74.

Cobb BL, Jauchem JR, Mason PA, Dooley MP, Miller SA, Ziriak JM, Murphy MR. (2000) Neural and behavioral teratological evaluation of rats exposed to ultra-wideband electromagnetic fields. *Bioelectromagnetics* 21:524-37.

Cosquer B, de Vasconcelos AP, Frölich J, and Cassel J-C. (2005) Blood-brain barrier and electromagnetic fields: effects of scopolamine methylbromide on working memory after whole-body exposure to 2.45 GHz in rats. *Behavioural Brain Res.*, 161, 229-237.

Divan HA, Kheifets L, Obel C, Olsen J. Prenatal and Postnatal Exposure to Cell Phone Use and Behavioral Problems in Children. *Epidemiology*. 19(4) July 2008.

Eberhardt JL, Persson BR, Brun AE, Salford LG, Malmgren LO. (2008) Blood-brain barrier permeability and nerve cell damage in rat brain 14 and 28 days after exposure to microwaves from GSM mobile phones. *Electromagn Biol Med*. 27:215-29.

Finnie J W, Blumbergs P C, Cai Z, Manavis J and Kuchel TR. (2006a) Effect of mobile telephony on blood-brain barrier permeability in the fetal mouse brain. *Pathology*, 38(1), 63-65.

Finnie J W, Blumbergs P C, Cai Z, Manavis J and Kuchel TR. (2006b) Neonatal mouse brain exposure to mobile telephony and effect on blood-brain barrier permeability. *Pathology*, 38(3), 262-263.

Jensh RP. (1997) Behavioral teratologic studies using microwave radiation: is there an increased risk from exposure to cellular phones and microwave ovens? *Reprod Toxicol*, 11, 601-11.

Juutilainen J. (2005) Developmental effects of electromagnetic fields. *Bioelectromagnetics Suppl* 7:S107-15.

Kaplan J, Polson P, Rebert C, Lunan K, Gage M. (1982) Biological and behavioral-effects of prenatal and postnatal exposure to 2450-Mhz electromagnetic-radiation in the Squirrel monkey. *Radio Science* 17:S135-S144.

Kim BM, Ha M, Park HS, Lee BE, Kim YJ, Hong YC, Kim Y, Chang N, Roh YM, Kim BN, Oh SY, Ha EH, MOCEH Study Group. (2009) The Mothers and Children's Environmental Health (MOCEH) study. *Eur J Epidemiol*. 24(9):573-83.

Klug S, Hetscher M, Giles S, Kohlsmann S, Kramer K. (1997) The lack of effects of nonthermal RF electromagnetic fields on the development of rat embryos grown in culture. *Life Sci* 61:1789-1802.

Kumlin T, Iivonen H, Miettinen P, Juvonen A, van Groen T, Puranen L, Pitkaaho R, Juutilainen J, Tanila H. (2007) Mobile phone radiation and the developing brain: behavioral and morphological effects in juvenile rats. *Radiat Res* 168:471-9.

Kuribayashi M, Wang J, Fujiwara O, Doi Y, Nabae K, Tamano S, Ogiso T, Asamoto M, and Shirai T. (2005) Lack of effects of 1439 MHz electromagnetic near field exposure on the blood-brain barrier in immature and young rats. *Bioelectromagnetics*, 26, 578-588.

Magras IN, and Xenos TD. (1997) RF radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics* 18:455-461.

Masuda H, Ushiyama A, Takahashi M, Wang J, Fujiwara O, Hikage T, Nojima T, Fujita K, Kudo M, Ohkubo C. (2009) Effects of 915 MHz Electromagnetic-Field Radiation in TEM Cell on the Blood-Brain Barrier and Neurons in the Rat Brain. *Radiat Res* 2009; 172 (1), 66 – 73.

McQuade JM, Merritt JH, Miller SA, Scholin T, Cook MC, Salazar A, Rahimi OB, Murphy MR, Mason PA. (2009) Radiofrequency-radiation exposure does not induce detectable leakage of albumin across the blood-brain barrier. *Radiation Research*. 171(5):615 – 621.

Nittby H, Brun A, Eberhardt J, Malmgren L, Persson BR, Salford LG. (2009) Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone. *Pathophysiology* 16(2-3), 103-12.

Paulraj R, Behari J. (2006) Protein kinase C activity in developing rat brain cells exposed to 2.45 GHz radiation. *Electromagn Biol Med.*, 25(1), 61-70.

Salford L G, Brun A E, Eberhardt J L, Malmgren L and Persson B R R (2003) Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones. *Environmental Health Perspectives*, 111, 881-883.

Sommer AM, Grote K, Reinhardt T, Streckert J, Hansen V and Lerchl A (2009) Effects of radiofrequency electromagnetic fields (UMTS) on reproduction and development of mice: a multigeneration study. *Radiation Research* 171, 89-95.